

US Naval Hospital Okinawa Outpatient Formulary

1. This formulary lists medications that are currently available at USNH Okinawa Camp Foster. However, changes may be made without prior notification. For updates on a specific medication, please contact the pharmacy at 646-WELL or from Off-Base 098-971-WELL.

2. Not all medications listed will be carried at the Branch Health Clinic Pharmacies. Please contact the clinic in advance to check on medication availability.

3. USNH Okinawa and Branch Health Clinics only stock FDA approved generic medications when available.

4. **OTC Program:** Eligible patients are entitled to three OTC medications per patient per month. Patients must not be less than two years of age, pregnant, or on flight status. Eligibility is limited to active duty, retirees, and dependents. Patients must be evaluated by Triage.

5. Prescriptions written for Schedule II medications must be filled within **60 days** of the date written. Quantity is limited to a **30-day supply**, except for cancer pain, ADHD, or narcolepsy medications which can be dispensed up to a **90-day supply**.

6. Prescriptions written for Schedule III-V must be filled within **180 days**. Quantity is limited to a **30-day supply** and five refills or a **90-day supply** with one refill. These prescriptions expire **6 months** from the written date.

7. Prescriptions written for all non-scheduled medications must be filled within one year from the date written and unused refills after one year will be voided. Quantity is limited to a 90-day supply with three refills for all maintenance medications.

8. Contraceptives can be filled for a year supply at a time on hand stock permits.

9. Outpatient Hours of Operation: Monday - Friday: 0800 - 1900

Saturday: 0800-1700

Closed Sundays and all Federal Holidays

10. Inpatient Hours of Operation: 24 hours/7 days including holidays. Patients released from Emergency Room or Discharged from Hospital are considered inpatient and will receive care.

| Generic Drug Name | Brand Drug Name | Dosage | Pharmacologic Category |
|---|------------------------------------|--|--|
| Acetaminophen | Tylenol | 80mg chew tab; 325mg tab; 160mg/5ml liquid | Analgésic |
| Acetaminophen | Tylenol | 120mg, 325mg, 650mg rectal suppository | Anorectal |
| Acetaminophen/Codeine | Tylenol #3 | 300/30mg tab; 120mg/12mg/5ml elixir | Narcotic Analgesic |
| Acetazolamide | Diamox | 250mg tab; 500mg ER cap | Diuretic / Antiglaucoma |
| Acetic acid, Propylene glycol, Hydrocortisone | Acetasol HC | 2%/.3%/1% solution | Otic, antibiotic |
| Activated Charcoal | Actidose | 25gm suspension | Antidote |
| Acyclovir | Zovirax | 200mg cap; 400mg, 800mg tab; 200mg/5ml suspension | Antiviral |
| Acyclovir | Zovirax | 5% ointment (30gm) | Topical, antiviral |
| Adalimumab | Humira | 40mg/0.8ml (2 pen kit) (Prior Authorization Form Required) | Antirheumatic / TNF Blocking Agent |
| Adapalene | Differin | 0.1% gel (45gm), 0.1% cream (45gm) | Topical, acne |
| Adefovir | Hepsera | 10mg tab | Antiviral |
| Aerochamber Z-Stat Plus | | small mask, medium mask, & regular chamber | Asthma / COPD |
| Albendazole | Albenza | 200mg tab | Anthelmintic |
| Albuterol | ProAir | 90mcg oral inhaler; 0.083% neb | Asthma / COPD |
| Alcohol wipes | | 70% pads (100 pads/box) | Diabetic supplies |
| Alendronate | Fosamax | 10mg, 35mg, 70mg tab | Osteoporosis Agent |
| Alfuzosin | Uroxatral | 10mg tab | Gentourinary |
| Allipurinol | Zyloprim | 100mg, 300mg tab | Antigout |
| Alprazolam | Xanax | 0.25mg, 0.5mg tab | Anxiolytic |
| Aluminum Chloride | Drysol | 37.5ml bottle | Topical |
| Aluminum sulfate/Calcium acetate | Domeboro | Box of 12 packets | Topical |
| Aluminum, Magnesium, Simethicone | Maalox / Maalox Extra Strength | 200mg-200mg-20mg/5ml, 400mg-400mg-40mg/5ml | Antacid / GERD |
| Amiodarone | Cordarone | 200mg tab | Antiarrhythmic |
| Amitriptyline | Elavil | 10mg, 25mg, 50mg tab | Antidepressant |
| Amlodipine | Novasc | 2.5mg, 5mg, 10mg tab | Antihypertensive - Calcium Channel Blocker |
| Amlodipine/Benazepril | Lotrel | 2.5/10mg, 5/10mg, 5/20mg, 5/40mg, 10/20mg, 10/40mg cap | Antihypertensive Combination |
| Amoxicillin | Amoxil | 250mg, 500mg cap; 200mg/5ml, 250mg/5ml, 400mg/5ml suspension | Antibiotic, oral |
| Amoxicillin/Clavulanate | Augmentin | 250mg/500mg, 875mg, 1000 XR mg tab; 200mg/5ml, 400mg/5ml, 600mg/5ml suspension | Antibiotic, oral |
| Amphetamine salts | Adderall | 5mg, 10mg, 20mg, 30mg tab; 5mg XR, 10mg XR, 15mg XR, 20mg XR, 25mg XR, 30mg XR cap | Attention Deficit Disorder (ADD) |
| Anastrozole | Arimidex | 1mg tab | Antineoplastic |
| Apixaban | Eliquis | 2.5mg, 5mg tab | Anticoagulant / Antiplatelet |
| Aquaphor | | 41% ointment (99gm) (396gm) | Topical, emollient |
| Aripiprazole | Abilify | 2mg, 5mg, 10mg, 15mg, 20mg tab | Antipsychotic |
| Aspirin | Novolog | 100units/ml vial (10ml); 3ml/syr flexpen (5 pens/box); penfill cartridge (3ml) | Diabetic agent - injection |
| Aspirin (ASA) | | 325mg tab; 81 mg EC, 325mg EC tab | Non-Steroidal Anti-Inflammatory (NSAID) |
| Atenolol | Tenormin | 25mg, 50mg, 100mg, 200mg/5ml suspension | Antihypertensive - β -blockers |
| Atomoxetine | Strattera | 10mg, 18mg, 25mg, 40mg, 60mg cap | Attention Deficit Disorder (ADD) |
| Atorvastatin | Lipitor | 10mg, 20mg, 40mg, 80mg tab | Lipid Lowering Agents |
| Atovaquone | Mepron | 750mg/5ml suspension | Antiprotozoal |
| Atovaquone/Proguanil | Malarone | 250/100mg, 62.5/25mg tab | Antimalarial |
| Atropine | Isopto Atropine | 1% ointment (3.5gm); 1% solution (5ml) | Ophthalmic, mydriatic |
| Ayr Saline Rinse Kit | NeilMed Sinus Rinse Kit | Nasal rinse kit | Nasal, allergy |
| Azathioprine | Imuran | 50mg tab | Immunosuppressant |
| Azelastine | Astepro | 137mcg (0.1%) nasal spray | Nasal, allergy |
| Azithromycin | Azithromax | 250mg tab; 1gm pkt; 100mg/5ml, 200mg/5ml suspension | Antibiotic, oral |
| Azithromycin | Azazsite | 1% soln (2.5ml) | Ophthalmic, antibiotic |
| Bacitracin | | 500unit/gm | Ophthalmic, antibiotic |
| Bacitracin | | ointment (30gm) | Topical, antibiotic |
| Bacitracin/Polymyxin B | Polycin | 3.5gm ointment | Ophthalmic, antibiotic |
| Baclofen | Lioresal | 10mg tab | Musculoskeletal relaxant |
| BD sharps container | | Container | Diabetic supplies |
| Benazepril | Lotensin | 5mg, 10mg, 20mg tab | Antihypertensive, ACE Inhibitor |
| Benazepril/Hydrochlorothiazide | Lotensin HCT | 20/12.5mg tab, 20/25mg tab | Antihypertensive Combination |
| Benzocaine/Menthol | Dermoplast | 20/0.5% spray | Anorectal |
| Benzocaine/Menthol | Cepacol | 15/3.6% lozenge | Local Analgesic |
| Benzonatate | Tessalon Perles | 100mg cap | Anittussive |
| Benzoyl Peroxide | | 5% wash (150ml), 10% wash (150ml), 5% gel (90gm), 10% gel (60gm) | Topical, acne |
| Benztropine | Cogentin | 2mg tab | Anti-Parkinson |
| Betamethasone Valerate | Valsitone | 0.1% cream (15gm), 0.1% ointment (45gm) | Topical, steroid |
| Betamethasone/Clotrimazole | Lotrisone | 0.5%/1% cream (45gm) | Topical, antifungal/steroid |
| Betaxolol | Betoptic-S | 0.25% suspension (5ml) | Ophthalmic, antiglaucoma |
| Bicalutamide | Casodex | 50mg tab | Antineoplastic |
| Bictegravir/Etravirine/Tenofovir | Biktarvy | 50-200-25mg tab | Antiviral |
| Bisacodyl | Dulcolax | 10mg rectal suppository | Anorectal, laxative |
| Bisacodyl | Dulcolax | 5mg tab | Laxative, oral |
| Bismuth Subsalicylate | Pepto Bismol | 262mg tab; 262mg/15ml suspension | Antidiarrheal |
| Brimonidine | Alphagan/Alphagan P | 0.2% solution (10ml, 15ml); 0.15% solution (5ml) | Ophthalmic, antiglaucoma |
| Bromocriptine | Pardodel | 2.5mg tab | Anti-Parkinson |
| Budesonide | Pulmicort | 0.25mg/2ml, 0.5mg/2ml respules | Asthma / COPD |
| Budesonide | Entocort EC | 3mg cap | Corticosteroid |
| Buropion | Wellbutrin | 75mg, 100mg tab; 100mg, 150mg SR tab; 150mg XL, 300mg XL tab | Antidepressant |
| Buspiron | Buspar | 5mg, 10mg tab | Anxiolytic |
| Butabital/Acetaminophen/Caffeine | Fioricet | 50/325/40mg tab | Antimigraine / Headache |
| Butabital/Aspirin/Caffeine | Fiorinal | 50/325/40mg cap | Antimigraine / Headache |
| Cabergoline | Dostine | 0.5mg tab | Hyperprolactinemic Disorders |
| Calamine | | 8% lotion (180ml) | Topical |
| Calcipotriene | Dovonex | 0.005% cream (60gm), 0.005% solution (60ml) | Topical, psoriasis |
| Calcitonin | Miacalcin, Fortical | 200 units/actuation nasal spray | Osteoporosis Agent |
| Calcitriol | Rocaltrol | 0.25mcg cap | Vitamin D analog |
| Calcium | Oyster Shell, Oscal | 500mg tab | Vitamin / Mineral / Electrolyte |
| Calcium Acetate | Calphron | 667mg tab | Antidote |
| Calium with Vitamin D | Oscal-D | 500mg/200 unit tab | Vitamin / Mineral / Electrolyte |
| Captopril | Capoten | 25mg, 50mg tab | Antihypertensive - ACE Inhibitor |
| Carbamazepine | Tegretol, Tegretol XR | 100mg chew tab; 200mg tab; 100mg/5ml susp; 100mg ER, 400mg ER tab | Anticonvulsant |
| Carbamide | Debrox | 6.5% soln | Otic |
| Carboxymethylcellulose | Refresh (Plus, Celluvise, Classic) | 0.5%, 1%, 1.4% soln (30 single use containers/box), 15ml bottle | Ophthalmic, lubricant |
| Carboxymethylcellulose/Glycerin, Polyisobetadinoate | Refresh Optive Advanced | 0.5%/1%/0.5% (30 single use containers/box) | Ophthalmic, lubricant |
| Carisoprodol | Soma | 350mg tab | Musculoskeletal relaxant |
| Carvedilol | Coreg | 3.125mg, 6.25mg, 12.5mg, 25mg tab | Antihypertensive - β -blockers |
| Cefdinir | Omnicef | 300mg cap; 125mg/5ml suspension | Antibiotic, oral |
| Cefixime | Suprax | 100mg/5ml suspension | Antibiotic, oral |
| Ceftriaxone | Rocephin | 250mg vial (For Clinic Administration Only) | Antibiotic, injection |
| Celecoxib | Celebrex | 100mg, 200mg cap | Non-Steroidal Anti-Inflammatory (NSAID) |
| Cephalexin | Keflex | 250mg, 500mg cap; 250mg/5ml suspension | Antibiotic, oral |
| Certrizine | Zyrtec | 10mg tab; 1mg/1ml syrup | Antihistamine / Allergy |
| Ceta-Klenz | | cleaner (473ml) | Topical, emollient |
| Cetaphil | | moisturizing cream (454gm) | Topical, emollient |
| Cevimeline | Evoxac | 30mg tab | Cholinergic Agonist |
| Chlordiazepoxide | Librium | 5mg, 25mg cap | Anxiolytic |
| Chlorhexidine | Peridex | 0.12% rinse | Dental |
| Chlorhexidine Gluconate | Hibiclens | 4% liquid | Topical |

US Naval Hospital Okinawa Outpatient Formulary

| | | | |
|--|---|--|--|
| 1. This formulary lists medications that are currently available at USNH Okinawa Camp Foster. However, changes may be made without prior notification. For updates on a specific medication, please contact the pharmacy at 646-WELL or from Off-Base 098-971-WELL. | | | |
| 2. Not all medications listed will be carried at the Branch Health Clinic Pharmacies. Please contact the clinic in advance to check on medication availability. | | | |
| 3. USNH Okinawa and Branch Health Clinics only stock FDA approved generic medications when available. | | | |
| 4. OTC Program: Eligible patients are entitled to three OTC medications per patient per month. Patients must not be less than two years of age, pregnant, or on flight status. Eligibility is limited to active duty, retirees, and dependents. Patients must be evaluated by Triage. | | | |
| 5. Prescriptions written for Schedule II medications must be filled within 60 days of the date written. Quantity is limited to a 30-day supply , except for cancer pain, ADHD, or narcolepsy medications which can be dispensed up to a 90-day supply . | | | |
| 6. Prescriptions written for Schedule III-V must be filled within 180 days . Quantity is limited to a 30-day supply and five refills or a 90-day supply with one refill. These prescriptions expire 6 months from the written date. | | | |
| 7. Prescriptions written for all non-scheduled medications must be filled within one year from the date written and unused refills after one year will be voided. Quantity is limited to a 90-day supply with three refills for all maintenance medications. | | | |
| 8. Contraceptives can be filled for a year supply at a time if on hand stock permits. | | | |
| 9. Outpatient Hours of Operation: | Monday - Friday: 0800 - 1900 Saturday: 0800-1700 Closed Sundays and all Federal Holidays | | |
| 10. Inpatient Hours of Operation: | 24 hours/7 days including holidays. Patients released from Emergency Room or Discharged from Hospital are considered inpatient and will receive care. | | |
| Chlorthalidone | Hygroton | 25mg, 50mg tab | Diuretic |
| Cholestyramine | Questran | 4gm powder (37.8gm can) | Lipid Lowering Agents |
| Ciclopirox | Penlac | 8% solution (6.6ml) | Topical, antifungal |
| Cilestazol | Pletal | 100mg tab | Anticoagulant / Antiplatelet |
| Cimetidine | Tagamet | 400mg tab; 300mg/5ml solution | Antacid / GERD |
| Ciprofloxacin | Cipro | 250mg, 500mg, 750mg tab; 5g/100ml suspension | Antibiotic, oral |
| Ciprofloxacin | Clovox | 0.3% solution (5ml) | Ophthalmic, antibiotic |
| Ciprofloxacin/Dexamethasone | Ciprodx | 0.3%/0.1% suspension | Otic, antibiotic |
| Citalopram | Clexa | 10mg, 20mg, 40mg tab; 10mg/5ml solution | Antidepressant |
| Clarithromycin | Biaxin | 250mg, 500mg tab; 250mg/5ml suspension | Antibiotic, oral |
| Clindamycin | Cleocin | 150mg, 300mg cap; 75mg/5ml suspension | Antibiotic, oral |
| Clindamycin | Cleocin | 1% gel (60gm), 1% lotion (60ml), 1% solution (30ml, 60ml) | Topical, antibiotic |
| Clindamycin/Benzoyl Peroxide | Cleocin | 2% vaginal cream | Vaginal, antibiotic |
| Clobetasol | BenzaClin | 1% /5% gel (50gm) | Topical, acne |
| Clo�phene | Temovate, Olux | 0.05% cream (30gm, 60gm), 0.05% ointment (30gm, 45gm), 0.05% solution (25ml), 0.05% foam (100gm) | Topical, steroid |
| Clonazepam | Clomid | 50mg tab | Hormonal / Endocrine |
| Clonazepam | Klonopin | 0.5mg, 1mg tab | Anticonvulsant |
| Clonidine | Catapres | 0.1mg tab: 0.1mg/24hour, 0.2mg/24hour, 0.3mg/24hour patch | Antihypertensive - Miscellaneous |
| Clopigrel | Plavix | 75mg tab | Anticoagulant / Antiplatelet |
| Cloprimazole | | 10mg troche | Antifungal, oral |
| Cloprimazole | Lotrimin | 1% cream (30gm), 1% solution (10ml) | Topical, antifungal |
| Cloprimazole | Lotrimin | 1% vaginal cream | Vaginal, antifungal |
| Coal Tar | Tera-Gel | 0.5% shampoo (240ml) | Topical |
| Codene Sulfate | | 30mg tab | Narcotic Analgesic |
| Colchicine | Colcrys | 0.6mg | Antigout |
| Colestipol | Colestid | 5gm packet, 1g tab | Lipid Lowering Agents |
| Collagenase | Santyl | 250 units/gm ointment (30gm) | Topical |
| Cyclobenzaprine | Flexeril | 10mg tab | Musculoskeletal relaxant |
| Cyclopentolate | Cyclogyl | 1% (15ml) solution | Ophthalmic, mydriatic |
| Cyclosporine | Restasis | 0.05% emulsion (30 vials/package) (Prior Authorization Form Required) | Ophthalmic, immunosuppressant |
| Cyproheptadine | Peractin | 4mg tab, 2mg/1ml syrup | Antihistamine / Allergy |
| Dabigatran | Pradaxa | 150mg cap | Anticoagulant / Antiplatelet |
| D-amphetamine | Dexedrine | 5mg, 10mg tab; 5mg, 10mg spansule | Attention Deficit Disorder (ADD) |
| Dapsone | | 25mg, 100mg tab | Antibiotic, oral |
| Denosumab | Prolia | 60mg/ml syringe | Osteoporosis Agent |
| Desipramine | Norpramin | 10mg tab | Antidepressant |
| Desmopressin | DDAVP | 0.2mg tab | Gentourinary |
| Desomide | Tridesion | 0.05% cream (60gm) | Topical, steroid |
| Dexamethasone | Decadron | 0.75mg, 2mg, 4mg tab; 0.5mg/5ml elixir; 1mg/ml solution | Corticosteroid |
| Dexamethasone | Maxidex | 0.1% suspension (5ml) | Ophthalmic, anti-inflammatory |
| Dextan 70/ Hydroxypropyl methylcellulose | Genteal Tears | 0.1% /0.3% solution | Ophthalmic, lubricant |
| Diazepam | Valium/Diastat | 5mg tab; 2.5mg, 5mg rectal gel; 5mg/5ml solution | Musculoskeletal Relaxant |
| Didofenac | Voltaren | 75mg EC tab | Anxiolytic / Musculoskeletal Relaxant |
| Didofenac | Voltaren | 0.1% solution (5ml) | Non-Steroidal Anti-Inflammatory (NSAID) |
| Didofenac | Voltaren | 1% gel (100gm) | Ophthalmic, anti-inflammatory |
| Dioxacillin | Dynapen | 250mg cap | Topical, NSAID |
| Dicyclomine | Bentyl | 10mg cap, 20mg tab | Antibiotic, oral |
| Difluprednate | Durezol | 0.05% emulsion (5ml) | Gastrointestinal |
| Digoxin | Lanoxin | 125mcg, 250mcg tab; 0.05mg/ml solution | Ophthalmic, anti-inflammatory |
| Diltiazem | Cardizem/Tiazac | 30mg, 60mg tab; 120mg, 180mg, 240mg, 300mg, 360mg ER cap | Antiarhythmic |
| Diphendhydramine | Benadryl | 25mg & 50mg cap; 12.5mg/5ml elixir | Antihypertensive - Calcium Channel Blocker |
| Diphendhydramine | Benadryl | 2% cream (30gm) | Antihistamine / Allergy |
| Diphendhydramine/Lidocaine/Maalox | First-BLM Mouthwash | Compounding Kit (240ml) | Topical, antihistamine |
| Disulfiram | Antabuse | 250mg tab | Miscellaneous |
| Divalproex Sodium | Dekapote | 125mg DR sprinkle cap; 250mg, 500mg DR tab; 250mg ER, 500mg ER tab | Reverse Agent |
| Docusate Sodium | Colace | 100mg cap; 10mg/ml solution | Anticonvulsant |
| Donepezil | Aricept | 5mg, 10mg tab | Laxative, oral |
| Dorzolamide | | 2% solution | Nasal, allergy |
| Dorzolamide/Timolol | Cosopt | 2%/0.5% solution (10ml) | Ophthalmic, antiglaucoma |
| Doxepin | Sinequan | 10mg, 25mg, 50mg, 75mg cap | Ophthalmic, antiglaucoma |
| Doxycycline | Vibramycin | 100mg cap/tab | Antidepressant |
| Doxylamine | Unisom | 25mg tab | Antibiotic, oral |
| Duloxetine | Cymbalta | 20mg, 30mg, 60mg cap | Insomnia |
| Efavirenz/Emtricitabine/Tenofovir | Atripla | 600-200-300mg tab | Antidepressant |
| Empagliflozin | Jardiance | 10mg, 25mg tab | Antiviral |
| Emtricitabine/Tenofovir | Truvada | 200/300mg tab | Antiviral |
| Enalapril | Vasotec | 5mg tab; 1mg/ml solution | Antihypertensive - ACE Inhibitor |
| Enoxaparin | Loovenex | 30mg, 40mg, 60mg, 80mg, 100mg, 120mg SQ injection | Anticoagulant / Antiplatelet |
| Entecavir | Baraclude | 0.5mg tab | Antiviral |
| Epinephrine | Epi-pen, Epi-pen Junior | 0.3mg, 0.15mg | Antidote |
| Erenumab | Aimovig | 70mg/ml, 140mg/ml auto-injector (Prior Authorization Form Required) | Antimigraine / Headache |
| Erythromycin | Ilotycin | 0.5% ointment (3.5gm) | Ophthalmic, antibiotic |
| Erythromycin | | 2% solution (60ml) | Topical, antibiotic |
| Erythromycin Base | | 250mg, 250mg DR tab | Antibiotic, oral |
| Erythromycin ethylsuccinate | E.E.S | 400mg tab; 200mg/5ml suspension | Antibiotic, oral |
| Escitalopram | Lexapro | 10mg, 20mg tab | Antidepressant |
| Estradiol | Estrace | 1mg, 2mg tab | Estrogen, oral |
| Estradiol | Climara | 25mcg, 37.5mcg, 50mcg, 75mcg, 100mcg transdermal patches | Estrogen, topical |
| Estradiol | Estring | 0.01% vaginal cream | Vaginal, estrogen |
| Estradiol, conjugated | Premarin | 2mg vaginal ring | Vaginal, estrogen |
| Estradiol, conjugated | Premarin | 0.3mg, 0.45mg, 0.625mg, 0.9mg, 1.25mg tab | Estradiol, oral |
| Estradiol/Medroxyprogesterone | Prempro | 0.625mg/gm vaginal cream | Vaginal, estrogen |
| Eszopiclone | Lunesta | 0.3/1.5mg, 0.45/1.5mg, 0.625/2.5mg, 0.625/5mg tab | Estradiol / Progestin |
| Ethambutol | Myambutol | 1mg, 2mg, 3mg tab | Insomnia |
| Ethynodiol Estradiol / Desogestrel | Desogen, Aprि, Emoquette, Isibloom | 400mg tab | Antituberculosis |
| Ethynodiol Estradiol / Drosperitone | Yasmin, Ocella | 0.03mg/0.15mg tab (28 day) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Drosperitone | Yaz, Gianvi | 0.03mg/0.3mg tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Ethynodiol Diacetate | Zovia 1/35E | 0.02mg/0.3mg tab (28 day; 24 active tabs + 4 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Etonogestrel | Nuvaring | 0.035mg/1mg tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Levonorgestrel | Jolessa | 0.015mg/0.12mg per 24 hours | Contraceptive, vaginal |
| Ethynodiol Estradiol / Levonorgestrel | Levora | 0.03mg/0.15mg tab (91 day; 84 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Levonorgestrel | Lutera, Orsythia, Sronyx | 0.02mg/0.1mg tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Levonorgestrel | Triphassa, Empresse | Triphasic tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Norelgestromin | Xulane | 35mcg/150mcg per day transdermal patch (3 patches/box) | Contraceptive, transdermal patch |
| Ethynodiol Estradiol / Norethindrone | Loestrin 1/20 (21) | 0.02mg/1mg tab (21 active tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Norethindrone | Ortho-Novum 1/35, Norinyl 1+35, Nortri 1/35 | 0.035mg/1mg tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Norethindrone | Ortho-Novum 7/77, Norrel 7/77 | Triphasic tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Norethindrone | Tri-Noriny, Leena | Triphasic tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Norethindrone / Ferrous Fum | Loestrin, Junel, Microgestin FE 1/20 | 0.02mg/1mg tab (21 tabs) + 75mg (7 tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Norethindrone / Ferrous Fum | Loestrin, Junel, Microgestin FE 1.5/30 | 0.03mg/1.5mg tab (21 tabs) + 75mg (7 tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Norgestimate | Ortho-Cyclen, Sprintec, Previfem | 0.035mg/0.25mg tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethynodiol Estradiol / Norgestimate | Ortho Tri-Cyclen, TriNessa, Tri-Sprintec | Triphasic tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |

US Naval Hospital Okinawa Outpatient Formulary

| | | | |
|--|--------------------------------------|--|--|
| 1. This formulary lists medications that are currently available at USNH Okinawa Camp Foster. However, changes may be made without prior notification. For updates on a specific medication, please contact the pharmacy at 646-WELL or from Off-Base 098-971-WELL. | | | |
| 2. Not all medications listed will be carried at the Branch Health Clinic Pharmacies. Please contact the clinic in advance to check on medication availability. | | | |
| 3. USNH Okinawa and Branch Health Clinics only stock FDA approved generic medications when available. | | | |
| 4. OTC Program: Eligible patients are entitled to three OTC medications per patient per month. Patients must not be less than two years of age, pregnant, or on flight status. Eligibility is limited to active duty, retirees, and dependents. Patients must be evaluated by Triage. | | | |
| 5. Prescriptions written for Schedule II medications must be filled within 60 days of the date written. Quantity is limited to a 30-day supply , except for cancer pain, ADHD, or narcolepsy medications which can be dispensed up to a 90-day supply . | | | |
| 6. Prescriptions written for Schedule III-V must be filled within 180 days . Quantity is limited to a 30-day supply and five refills or a 90-day supply with one refill. These prescriptions expire 6 months from the written date. | | | |
| 7. Prescriptions written for all non-scheduled medications must be filled within one year from the date written and unused refills after one year will be voided. Quantity is limited to a 90-day supply with three refills for all maintenance medications. | | | |
| 8. Contraceptives can be filled for a year supply at a time on hand stock permits. | | | |
| 9. Outpatient Hours of Operation: Monday - Friday: 0800 - 1900 Saturday: 0800-1700 Closed Sundays and all Federal Holidays | | | |
| 10. Inpatient Hours of Operation: 24 hours/7 days including holidays. Patients released from Emergency Room or Discharged from Hospital are considered inpatient and will receive care. | | | |
| Ethinodiol / Norgestimate | Ortho Tri-Cyclen Lo, Tri-Lo-Sprinect | Triphasic tab (lower dose of Ethinodiol) (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Ethinodiol / Norgestrel | Low-Ogestrel, Cryselle-28 | 0.03mg/0.3mg tab (28 day; 21 active tabs + 7 inactive tabs) | Contraceptive, oral (estrogen/progestin) |
| Etodolac | Lodine | 400mg tab | Non-Steroidal Anti-Inflammatory (NSAID) |
| Etonogestrel | Nexplanon | 68mg implant | Contraceptive, implant |
| Exenatide Extended Release | Bydureon / BCise | 2mg pen (4 pens/box) (Prior Authorization Form Required) | Diabetic agent - injection |
| Ezetimibe | Zetia | 10mg tab | Lipid Lowering Agents |
| Famciclovir | Famvir | 500mg tab | Antiviral |
| Famotidine | Pepcid | 10mg, 20mg | Antacid / GERD |
| Fenofibrate | Tricor | 48mg, 145mg, 160mg tab | Lipid Lowering Agents |
| Fentanyl | Duragesic | 12mcg transdermal patch | Vitamin / Mineral / Electrolyte |
| Ferrous Sulfate | | 325mg tab; 75mg/ml (15mg/ml elemental iron) solution; 220mg/5ml (44mg/5ml elemental iron) elixir | Anthistamine / Allergy |
| Fexofenadine | Allegra | 60mg & 180mg tab | Gentourinary |
| Finasteride | Proscar | 5mg tab | Antiarrhythmic |
| Flecainide | Tambocor | 50mg, 100mg tab | Antifungal, oral |
| Fluconazole | Diflucan | 100mg, 150mg, 200mg tab; 10mg/ml, 40mg/ml suspension | Corticosteroid |
| Fludrocortisone | Florinef | 0.1mg tab | Topical, steroid |
| Fluocinolone | Derma-Smooth/FS | 0.01% topical oil (120ml) | Topical, steroid |
| Fluocinolone | Synalar | 0.01% solution (60ml), 0.025% ointment (60gm) | Topical, steroid |
| Fluocinonide | Lidex | 0.05% cream (60gm), 0.05% ointment (15gm, 60gm) | Topical, steroid |
| Fluoride | Prevention/Gel-Kam | 1.1% dental gel, paste; 0.4% gel; 1.1mg/ml (0.5mg elemental F) soln | Dental |
| Fluorometholone | FML | 0.1% (5ml), 0.25% (5ml) suspension | Ophthalmic, anti-inflammatory |
| Fluorouracil | Efudex | 5% cream (40gmt) | Topical, antineoplastic |
| Fluoxetine | Prozac | 10mg, 20mg, 40mg cap; 20mg/5ml solution | Antidepressant |
| Fluticasone | Flovent | 44mcg, 110mcg, 220mcg oral inhaler | Asthma / COPD |
| Fluticasone | FloNase | 50mcg nasal spray | Nasal, allergy |
| Fluticasone/Salmeterol | Advair Diskus | 100/50, 250/50, 500/50 oral inhaler | Asthma / COPD |
| Fluticasone/Salmeterol | Advair HFA | 45/21, 115/21, 230/21 oral inhaler | Asthma / COPD |
| Fols Acid | Monurol | 1mg tab | Vitamin / Mineral / Electrolyte |
| Fosfomycin | | 3gm packet | Antibiotic, oral |
| Freestyle lancets | | 100 lancets box | Diabetic supplies |
| Freestyle Lite Monitor | | Blood Glucose Meter | Diabetic supplies |
| Freestyle lite test strips | | 50 strips box | Diabetic supplies |
| Furosemide | Lasix | 20mg, 40mg tab; 10mg/ml oral solution | Diuretic |
| Gabapentin | Neurontin | 100mg, 300mg cap; 600mg, 800mg tab; 250mg/5ml solution | Anticonvulsant |
| Ganciclovir | Zirgan | 0.15% gel (5gm) | Ophthalmic, antiviral |
| Gemfibrozil | Lopid | 600mg tab | Lipid Lowering Agents |
| Gentamicin | Garamycin | 0.3% ointment (3.5gm); 0.3% solution (5ml) | Ophthalmic, antibiotic |
| Gentian Violet | | 1% topical solution | Topical, antifungal |
| Glargin | Lantus | 100units/ml vial (10ml); 3ml/syr solstar pen (5 pens/box) | Diabetic agent - injection |
| Glimepiride | Amaryl | 2mg, 4mg tab | Diabetic agent - oral |
| Glipizide | Glucotrol / Glucotrol XL | 5mg, 10mg tab; 5mg XL, 10mg XL tab | Diabetic agent - oral |
| Glucagon | Glucagon Emergency | 1mg injection kit | Antidote |
| Glucose | Insta-glucose | 31gm (pack of 3 tubes) | Antidote |
| Glyburide | Micronase, Diabeta | 2.5mg, 5mg tab | Diabetic agent - oral |
| Glyburide/Metformin | Glucovance | 1.25/250mg, 2.5/500mg tab | Diabetic agent - oral |
| Glycerin | | adult & pediatric suppository | Anorectal, laxative |
| Glycopyrrolate | Robinul | 1mg tab | Anticholinergic |
| Goserelin | Zoladex | 3.6mg, 10.8mg (Special Order Medication) | Antineoplastic |
| Griseofulvin | Gris-Peg/Grifulvin | 125mg (ultramicronized), 250mg tab (ultramicronized); 125mg/5ml suspension (microsize) | Antifungal, oral |
| Guafenesin | Mucinex, Robitussin | 600mg SR tab; 100mg/5ml syrup | Expectorant |
| Guafenesin/Codeine | Cheratussin AC | 100-100mg/5ml syrup | Expectorant / Antitussive |
| Guafenesin/Dextromethorphan | Robitussin DM | 100-100mg/5ml syrup | Expectorant / Antitussive |
| Guanfacine | Tenex / Intuniv | 1mg, 2mg tab; 1mg ER, 2mg ER tab | Attention Deficit Disorder (ADD) |
| Haloperidol | Haldol | 1mg, 5mg tab; 2mg/ml solution | Antipsychotic |
| Homatropine | Homatropaire | 5% solution (5ml) | Ophthalmic, mydriatic |
| Hyaluronate | Synvisc, Synvisc-One | 8mg/ml injection (2ml, 6ml) | Antirheumatic |
| Hydralazine | Apresoline | 25mg tab | Antihypertensive - Miscellaneous |
| Hydrocerin or Minerin | Eucerin | cream (120gm) (454gm) | Topical, emollient |
| Hydrochlorothiazide | Microzide/HCTZ | 12.5mg caps; 25mg, 50mg tab | Diuretic |
| Hydrochlorothiazide/Triamterene | Maxzide | 25/37.5mg, 50/75mg tab | Antihypertensive Combination |
| Hydrocodone/Acetaminophen | Norco | 5/325mg, 10/325mg tab; 7.5mg/325mg/15ml elixir | Narcotic Analgesic |
| Hydrocortisone | Anusol-HC/Cortenema/Proctosol-HC | 25mg rectal suppository; 100mg/60ml rectal enema; 2.5% rectal cream | Anorectal |
| Hydrocortisone | | 0.5% cream (30gm), 1% cream (30gm), 1% ointment (30gm), 2.5% cream (30gm) | Topical, steroid |
| Hydrocortisone Valerate | Westcort | 0.2% cream (15gm, 45gm), 0.2% ointment (15gm, 45gm) | Topical, steroid |
| Hydroquinone | Melpaque HP | 4% cream (30gm) | Topical |
| Hydroxyamphetamine/Tropicamide | Paremyd | 1%/0.25% solution (15ml) | Ophthalmic, mydriatic |
| Hydroxychloroquine | Plaquenil | 200mg tab | Antimalarial |
| Hydroxyprogesterone Caproate | Makena | 250mg/ml IM inj (1ml vial) | Progestin |
| Hydroxyurea | Hydrea | 500mg cap | Antineoplastic |
| Hydroxyzine HCL | Atarax | 10mg & 25mg tab; 10mg/5ml syrup | Antihistamine / Allergy |
| Hydroxyzine Pamoate | Vistaril | 25mg cap | Anxiolytic |
| Hyoscymine | Levsinex / Levbid | 0.125mg tab; 0.375mg ER cap | Gastrointestinal |
| Hyoscymine/Atrpine/Scopolamine/Phenoarb | Donnatal | Elixir | Gastrointestinal |
| Ibuprofen | Motrin / Advil | 400mg, 800mg tab; 100mg/5ml susp | Non-Steroidal Anti-Inflammatory (NSAID) |
| Imipramine | Tofranil | 10mg, 25mg tab | Antidepressant |
| Imiquimod | Aldara | 5% cream (Package of 24) | Topical |
| Indometacin | Indocin | 50mg rectal suppository | Anorectal |
| Indometacin | Indocin | 25mg, 50mg cap | Non-Steroidal Anti-Inflammatory (NSAID) |
| Insulin Aspart Protamine / Insulin Aspart 70/30 | Novolog 70/30 | 3ml/syr flexpen (5 pens/box); 100units/ml (10ml) | Diabetic agent - injection |
| Insulin NPH / Insulin Regular 70/30 | Novolin 70/30 | 100units/ml vial (10ml) | Diabetic agent - injection |
| Insulin syringes | | 0.5ml, 1ml syringes | Diabetic supplies |
| Interferon beta-1a | Rebif | 22mcg/0.5ml, 44mcg/0.5ml SC inj | Interferon |
| Ipratropium | Atrovent HFA | 17mcg oral inhaler; 0.02% neb | Asthma / COPD |
| Ipratropium | Atrovent | 0.03% (21mcg) nasal spray | Nasal, allergy |
| Ipratropium/Albuterol | Combivent Respimat | 20mcg/100mcg oral inhaler | Asthma / COPD |
| Isoniazid | | 100mg, 300mg tab | Antituberculosis |
| Iosorbide Dinitrate | Isordil | 10mg, 40mg tab | Vasodilator / Antianginal |
| Iosorbide Mononitrate | Imdur | 10mg, 20mg tab; 60mg ER tab | Vasodilator / Antianginal |
| Isotretinoin | Accutane | 20mg, 40mg cap (PLEDGE REQUIRED) | Acne, oral |
| Itraconazole | Sporanox | 100mg cap | Antifungal, oral |
| Ketoconazole | Nizoral | 200mg tab | Antifungal, oral |
| Ketoconazole | Nizoral | 2% cream (30gm), 2% shampoo (120ml) | Topical, antifungal |
| Ketorlac | Toradol | 10mg tab | Non-Steroidal Anti-Inflammatory (NSAID) |
| Ketorolac | Toradol | 30mg/ml injection (For Clinic Administration Only) | Injection |
| Ketozen | Zaditor | 0.025% solution (5ml) | Ophthalmic, allergy |
| Labetalol | Trandate | 100mg, 200mg, 300mg tab | Antihypertensive - β -blockers |
| Lactulose | Generlac | 10gm/15ml solution | Laxative, oral |
| Lamotrigine | Lamictal | 5mg chew tab; 25mg, 100mg, 150mg, 200mg tab | Anticonvulsant |
| Lanolin/Mineral Oil | Tender Care | cream (59ml) | Topical, emollient |
| Latanoprost | Thera-Derm | lotion (240ml) | Topical, emollient |
| Leflunomide | Xalatan | 0.005% solution (2.5ml) | Ophthalmic, antiglaucoma |
| Leflunomide | Arava | 20mg tab | Antirheumatic |

US Naval Hospital Okinawa Outpatient Formulary

1. This formulary lists medications that are currently available at USNH Okinawa Camp Foster. However, changes may be made without prior notification. For updates on a specific medication, please contact the pharmacy at 646-WELL or from Off-Base 098-971-WELL.

2. Not all medications listed will be carried at the Branch Health Clinic Pharmacies. Please contact the clinic in advance to check on medication availability.

3. USNH Okinawa and Branch Health Clinics only stock FDA approved generic medications when available.

4. **OTC Program:** Eligible patients are entitled to three OTC medications per patient per month. Patients must not be less than two years of age, pregnant, or on flight status. Eligibility is limited to active duty, retirees, and dependents. Patients must be evaluated by Triage.

5. Prescriptions written for Schedule II medications must be filled within **60 days** of the date written. Quantity is limited to a **30-day supply**, except for cancer pain, ADHD, or narcolepsy medications which can be dispensed up to a **90-day supply**.

6. Prescriptions written for Schedule III-V must be filled within **180 days**. Quantity is limited to a **30-day supply** and five refills or a **90-day supply** with one refill. These prescriptions expire **6 months** from the written date.

7. Prescriptions written for all non-scheduled medications must be filled within one year from the date written and unused refills after one year will be voided. Quantity is limited to a 90-day supply with three refills for all maintenance medications.

8. Contraceptives can be filled for a year supply at a time on hand stock permits.

9. Outpatient Hours of Operation: Monday - Friday: 0800 - 1900

Saturday: 0800-1700

Closed Sundays and all Federal Holidays

10. Inpatient Hours of Operation: 24 hours/7 days including holidays. Patients released from Emergency Room or Discharged from Hospital are considered inpatient and will receive care.

| | | | |
|---------------------------------------|--------------------------------------|--|--|
| Letrozole | Femara | 2.5mg tab | Antineoplastic |
| Leucovorin | | 5mg tab | Antidote |
| Leuprorelin | Lupron Depot | 3.75mg, 7.5mg, 11.25mg, 22.5mg IM injection | Antineoplastic |
| Levetiracetam | Kepra | 500mg, 1000mg tab; 100mg/ml oral solution | Anticonvulsant |
| Levodopa/Carbidopa | Sinemet / Sinemet CR | 10/100mg, 25/100mg 25,250mg tab; 25/100 ER tab | Anti-Parkinson |
| Levofoxacin | Levaquin | 250mg, 500mg, 750mg tab; 25mg/ml suspension | Antibiotic, oral |
| Levonorgestrel | Plan B, E-Contra One-Step | 1.5mg tab | Contraceptive, emergency |
| Levonorgestrel | Skyla, Minena | 13.5mg, 52mg intrauterine device | Contraceptive, intrauterine device |
| Levothyroxine | Synthroid | 25mcg, 50mcg, 75mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg tab | Thyroid |
| Lidocaine | Xylocaine | 2% viscous oral soln | Dental |
| Liocaine | Xylocaine | 1% injection (For Clinic Administration Only) | Injection |
| Liocaine | | 2% jelly (30ml), 4% cream (15gm, 30gm), 4% solution (50ml), 5% ointment (35gm) | Topical, anesthetic |
| Liocaine | Lidoderm | 5% topical patch | Topical, anesthetic |
| Liocaine with Epinephrine | | 1%:1/100,000 injection (For Clinic Administration Only) | Injection |
| Liocaine/Prilocaïne | EMLA | 2.5%/2.5% cream (30gm) | Topical, anesthetic |
| Linezolid | Zyvox | 600mg tab; 100mg/5ml suspension | Antibiotic, oral |
| Lothyronine | Cytomel | 5mcg, 25mcg tab | Thyroid |
| Lisinopril | Prinivil, Zestril | 2.5mg, 5mg, 10mg, 20mg, 30mg, 40mg tab | Antihypertensive - ACE Inhibitor |
| Lisinopril/Hydrochlorothiazide | Prinzide, Zestoretic | 10/12.5mg, 20/12.5mg, 20/25mg tab | Antihypertensive Combination |
| Lithium Carbonate | Lithobid | 300mg cap, 300mg ER tab | Antimanic |
| Loperamide | Imodium | 2mg cap; 1mg/7.5ml soh | Antidiarrheal |
| Loratadine | Claritin | 10mg tab; 5mg/5ml syrup | Antihistamine / Allergy |
| Loratadine/Pseudoephedrine | Claritin-D 12 Hour | 5mg/120mg tab | Antihistamine / Decongestant |
| Loratadine/Pseudoephedrine | Claritin-D 24 Hour | 10mg/240mg tab | Antihistamine / Decongestant |
| Lorazepam | Ativan | 1mg tab; 2mg/ml suspension | Anxiolytic |
| Losartan | Cozaar | 25mg, 50mg, 100mg tab | Antihypertensive - ARB |
| Losartan/Hydrochlorothiazide | Hyzaar | 50/12.5mg, 100/12.5mg, 100/25mg tab | Antihypertensive Combination |
| Loteprednol | Arex, Lotemax | 0.2% suspension (5ml); 0.5% suspension (5ml) | Ophthalmic, anti-inflammatory |
| Magnesium Chloride | Slow-Mag | 70mg tab | Vitamin / Mineral / Electrolyte |
| Magnesium Citrate | | 296ml bottle | Laxative, oral |
| Magnesium Oxide | MagOx | 400mg tab | Vitamin / Mineral / Electrolyte |
| Meclozine | Antivert | 25mg tab | Antiemetic / Antivertigo |
| Medroxyprogesterone | Depo-Provera | 150mg/ml injection | Contraceptive, injection |
| Medroxyprogesterone | Provera | 2.5mg, 10mg tab | Progestin |
| Megestrol | Megace | 40mg tab, 40mg/ml suspension | Antineoplastic |
| Melatonin | | 3mg tab | Insomia |
| Meloxicam | Mobic | 7.5mg, 15mg tab | Non-Steroidal Anti-Inflammatory (NSAID) |
| Memantine | Namenda | 10mg tab | Alzheimer's agent |
| Mercaptopurine | Purixan | 50mg tab | Antineoplastic |
| Mesalamine | Canasa/Rowasa | 1000mg rectal suppository; 4gm/60ml rectal enema | Anorectal |
| Mesalamine | Lialda | 1200mg tab | Gastrointestinal |
| Metaxalone | Skelaxin | 800mg tab | Musculoskeletal relaxant |
| Metformin | Glucophage / Glucophage XR | 500mg, 850mg, 1000mg tab; 500mg XR, 750mg XR tab | Diabetic agent - oral |
| Methenamine | Urex | 1gm tab | Antibiotic, oral |
| Methimazole | Tapazole | 5mg, 10mg tab | Thyroid |
| Methocarbamol | Robaxin | 500mg tab | Musculoskeletal relaxant |
| Methotrexat | Rheumatrex/MTX | 2.5mg tab | Antineoplastic/Immunosuppressive |
| Methyldopa | Aldomet | 250mg tab | Antihypertensive - Miscellaneous |
| Methylergonovine | Methergine | 0.2mg tab | Ergot Derivative |
| Methylphenidate | Ritalin / Concerta | 5mg, 10mg, 20mg tab; 10mg SR, 18mg SR, 20mg ER, 27mg SR, 36mg SR, 54mg SR tab | Attention Deficit Disorder (ADD) |
| Methylprednisolone | Medrol | 4mg dospack | Corticosteroid |
| Metoclopramide | Reglan | 10mg tab; 5mg/5ml syrup | Antiemetic / Antivertigo |
| Metoprolol Succinate (XL) | Toprol XL | 25mg, 50mg, 100mg, 200mg ER tab | Antihypertensive - β -blockers |
| Metoprolol Tartrate | Lopressor | 25mg, 50mg, 100mg tab | Antihypertensive - β -blockers |
| Metronidazole | Flagyl | 250mg, 500mg tab, 50mg/ml suspension | Antibiotic, oral |
| Metronidazole | Metrogel / MetroCream | 0.75% cream (45gm), 1% gel (60gm) | Topical, antibiotic |
| Metronidazole | Vandazole | 0.75% vaginal gel | Vaginal, antibiotic |
| Miconazole | Monistat-7 | 2% vaginal cream | Vaginal, antifungal |
| Milk of Magnesia | | 400mg/5ml susp | Laxative, oral |
| Mineral Oil | | Heavy solution | Laxative, oral |
| Mineral Oil/White Petrolatum | Artificial Tears, Genteal Tears | 15-83% ointment (3.5gm) or 3-94% ointment (3.5gm) | Ophthalmic, lubricant |
| Minocycline | Minocin | 50mg, 100mg cap | Antibiotic, oral |
| Mirtazapine | Remeron | 15mg, 30mg tab | Antidepressant |
| Misoprostol | Cytotec | 100mcg, 200mcg tab | Prostaglandin |
| Modafinil | Provigil | 100mg, 200mg tab | CNS Stimulant |
| Montelukast | Singulair | 4mg chew, 5mg chew, 10mg tab | Asthma / COPD |
| Morphine | MS Contin | 15mg, 30mg tab; 15mg SR, 30mg SR, 60mg SR tab; 2mg/ml oral solution | Narcotic Analgesic |
| Moxifloxacin | Avelox | 400mg tab | Antibiotic, oral |
| Moxifloxacin | Vigamox | 0.5% soln (3ml) | Ophthalmic, antibiotic |
| Multivitamin | | Adult tab | Vitamin / Mineral / Electrolyte |
| Mupirocin | Bactroban | 2% ointment (22gm) | Topical, antibiotic |
| Mycophenolate | Cellcept | 250mg cap, 500mg tab | Immunosuppressant |
| Naloxone | Narcan | 4mg nasal spray | Antidote |
| Naltrexone | Revia | 50mg tab | Antidote |
| Naltrexone | Vivitrol | 380mg IM injection | Antidote |
| Naproxen | Naprosyn / Aleve | 250mg, 500mg tab; 125mg/5ml suspension | Non-Steroidal Anti-Inflammatory (NSAID) |
| Neomycin | | 500mg tab | Antibiotic, oral |
| Neomycin, Polymyxin B, Hydrocortisone | Cortisporin | 3.5mg/10,000u/10mg per 1ml suspension | Otic, antibiotic |
| Neomycin, Polymyxin B, Bacitracin | Neosporin | 3.5mg, 10,000u, 400 ointment (3.5gm) | Ophthalmic, antibiotic |
| Neomycin, Polymyxin B, Dexamethasone | Maxtril | 3.5mg/10,000u/1% solution (5ml), gel (3.5gm) | Ophthalmic, antibiotic/steroid |
| Neomycin, Polymyxin B, Hydrocortisone | Cortisporin | 3.5mg/10,000u/10mg per 1ml solution (7.5ml) | Ophthalmic, antibiotic/steroid |
| Nicotine | Nicorette | 2mg, 4mg gum; 2mg, 4mg lozenge | Nicotine Replacement Therapy (NRT) |
| Nicotine | Nicotrol | 10mg inhaler cartridge (168 per box), 10mg/ml nasal spray (4 - 10ml bottles/box) | Nicotine Replacement Therapy (NRT) |
| Nicotine Patch | Nicoderm | 7mg, 14mg, 21mg patch | Nicotine Replacement Therapy (NRT) |
| Nifedipine | Procardia/Adalat CC | 10mg, 20mg cap; 30mg, 60mg, 90mg ER tab | Antihypertensive - Calcium Channel Blocker |
| Nitrofurantoin | Macrodantin, Macrobid | 50mg, 100mg cap; 25mg/5ml suspension | Antibiotic, oral |
| Nitroglycerin | Rectiv | 0.4% ointment | Topical |
| Nitroglycerin | Nitro-Bid | 2% ointment (60gm) | Topical, antianginal |
| Nitroglycerin | Nitrostat | 0.3mg, 0.4mg, 0.6mg SL tab; 0.4mg SL spray; 0.2mg/hr, 0.4mg/hr patch | Vasodilator / Antianginal |
| Norethindrone | Nor-QD, Micronor, Jolivette, Nora-BE | 0.35mg tab (28 day) | Contraceptive, oral (progestin) |
| Norethindrone | Aygestin | 5mg tab | Progestin |
| Nortriptyline | Pamelor | 10mg, 25mg cap | Antidepressant |
| NPH | Novolin N | 100units/ml vial (10ml) | Diabetic agent - injection |
| Nystatin | Mycostatin | 100KU/ml susp | Antifungal, oral |
| Nystatin/Triamcinolone | Mycolog II | 100,000 units/gm cream (15gm, 30gm), 100,000 units/gm oint (15gm, 30gm), 100,000 units/gm powder | Topical, antifungal/steroid |
| Oflloxacin | Ocuflox | 0.3% solution (5ml) | Ophthalmic, antibiotic |
| Olanzapine | Zyprexa | 2.5mg, 5mg tab | Antipsychotic |
| Olopataidine | Pataanol, Pazeo | 0.1% solution (5ml), 0.7% solution (5ml) | Ophthalmic, allergy |

US Naval Hospital Okinawa Outpatient Formulary

| | | | |
|--|------------------------------------|--|---|
| 1. This formulary lists medications that are currently available at USNH Okinawa Camp Foster. However, changes may be made without prior notification. For updates on a specific medication, please contact the pharmacy at 646-WELL or from Off-Base 098-971-WELL. | | | |
| 2. Not all medications listed will be carried at the Branch Health Clinic Pharmacies. Please contact the clinic in advance to check on medication availability. | | | |
| 3. USNH Okinawa and Branch Health Clinics only stock FDA approved generic medications when available. | | | |
| 4. OTC Program: Eligible patients are entitled to three OTC medications per patient per month. Patients must not be less than two years of age, pregnant, or on flight status. Eligibility is limited to active duty, retirees, and dependents. Patients must be evaluated by Triage. | | | |
| 5. Prescriptions written for Schedule II medications must be filled within 60 days of the date written. Quantity is limited to a 30-day supply , except for cancer pain, ADHD, or narcolepsy medications which can be dispensed up to a 90-day supply . | | | |
| 6. Prescriptions written for Schedule III-V must be filled within 180 days . Quantity is limited to a 30-day supply and five refills or a 90-day supply with one refill. These prescriptions expire 6 months from the written date. | | | |
| 7. Prescriptions written for all non-scheduled medications must be filled within one year from the date written and unused refills after one year will be voided. Quantity is limited to a 90-day supply with three refills for all maintenance medications. | | | |
| 8. Contraceptives can be filled for a year supply at a time on hand stock permits. | | | |
| 9. Outpatient Hours of Operation: Monday - Friday: 0800 - 1900 Saturday: 0800-1700 Closed Sundays and all Federal Holidays | | | |
| 10. Inpatient Hours of Operation: 24 hours/7 days including holidays. Patients released from Emergency Room or Discharged from Hospital are considered inpatient and will receive care. | | | |
| Omeprazole | PriLOSEC | 10mg, 20mg, 40mg cap | Antacid / GERD |
| Omeprazole | First-Omeprazole | 2mg/ml suspension | Antacid / GERD |
| OnabotulinumtoxinA | Botox | 100 units, 200 units (Restricted to Neurology, Dermatology, Pain, and Surgery Providers only) | Miscellaneous |
| Ondansetron | Zofran/ Zofran ODT | 4mg, 8mg tab; 4mg/5ml solution | Antiemetic / Antivertigo |
| Oseltamivir | Tamiflu | 75mg cap; 6mg/ml suspension | Antiviral |
| Oxcarbazepine | Trileptal | 300mg tab; 300mg/5ml oral suspension | Anticonvulsant |
| Oxybutynin | Ditropan / Ditropan XL | 5mg tab; 5mg ER, 10mg ER, 15mg ER tab; 5mg/5ml oral syrup | Genitourinary |
| Oxycodone | Roxicodone / Oxycontin | 5mg tab; 10mg ER, 20mg ER, 40mg ER tab; 1mg/ml oral solution | Narcotic Analgesic |
| Oxycodone/Acetaminophen | Percocet | 5/325mg tab | Narcotic Analgesic |
| Oxymetazoline | Afrin | 0.05% nasal spray | Nasal, allergy |
| Pancrelapase | Creon 24 | 24,000unit cap | Pancreatic enzyme |
| Pantoprazole | Protonix | n | Antacid / GERD |
| Paromomycin | | 250mg cap | Amebicide |
| Paroxetine | Paxil | 10mg, 20mg, 40mg tab; 25mg ER tab | Antidepressant |
| Pediatric Vitamin | Poly-Vi-Sol, Poly-Vi-Sol with Iron | Ped MVI (50ml), Ped MVI with Iron (50ml) | Vitamin / Mineral / Electrolyte |
| Pen Needles | | 30G 5/16" length (Box of 100), 32G 5/32" length (Box of 100) | Diabetic supplies |
| Penicillin G Benzathine | Bicillin L-A | 1.2 million units/2ml intramuscular syringe (For Clinic Administration Only) | Antibiotic, injection |
| Penicillin G Benzathine / Penicillin G Procaine | Bicillin C-R | 600,000-600,000 units/2ml intramuscular syringe (For Clinic Administration Only) | Antibiotic, injection |
| Penicillin VK | Pen-VK | 250mg, 500mg tab; 250mg/5ml suspension | Antibiotic, oral |
| Pentosan Polysulfate Sodium | Elmiron | 100mg cap | Analgesic, Urinary |
| Pentoxifylline | Trental | 400mg ER tab | Anticoagulant / Antiplatelet |
| Permethrin | Nix Crème Rinse | 1% cream rinse (60ml) | Topical, antiparasitic |
| Permethrin | Elimite | 5% cream (60gm) | Topical, antiparasitic |
| Phenazopyridine | Pyridium | 100mg tab | Gentourinary |
| Phenobarbital | | 32.4mg tab; 4mg/ml oral elixir | Anticonvulsant |
| Phenylephrine | Sudostat PE | 10mg tab | Antihistamine / Allergy |
| Phenylephrine | Neo-synephrine | 0.125%, 0.25%, 0.5% nasal spray | Nasal, allergy |
| Phenylephrine | Altafrin | 2.5% (15ml), 10% (5ml) solution | Ophthalmic, mydriatic |
| Phenytoin | Dilantin | 50mg chew tab, 100mg ER cap; 25mg/ml oral suspension | Anticonvulsant |
| Pill Cutter | | | Device |
| Pilocarpine | Isopto Carpine | 1%, 2%, 4% solution (15ml) | Ophthalmic, antiglaucoma |
| Pimecrolimus | Eidel | 1% cream (30gm, 60gm) | Topical, immunosuppressant |
| Pioglitazone | Actos | 15mg, 30mg, 45mg tab | Diabetic agent - oral |
| Piroxicam | Feldene | 20mg cap | Non-Steroidal Anti-Inflammatory (NSAID) |
| Podofolios | Condylox | 0.5% solution (3.5ml) | Topical |
| Polyethylene glycol | Miralax | 238gm, 527gm bottle | Laxative, oral |
| Polyethylene Glycol-Electrolyte | Golytely | Solution | Laxative, oral |
| Polymyx B/Trimethoprim | Polytrim | 10,000u/1mg per 1ml solution (10ml) | Ophthalmic, antibiotic |
| Polyvinyl Alcohol | Artificial Tears | 1.4% solution (15ml) | Ophthalmic, lubricant |
| Potassium Chloride | K-Dur | 10mEq, 20mEq tab; 20mEq packet | Vitamin / Mineral / Electrolyte |
| Potassium Citrate | Urocit-K | 10mEq (1.080mg) tab | Gentourinary |
| Potassium Iodide / Iodine | Lugol's Solution | 10%/5% oral solution | Thyroid |
| Povidone Iodine | Betadine | 10% solution (240ml) | Topical |
| Pramipexole | Mirapex | 0.25mg tab | Anti-Parkinson |
| Pramoxine/Hydrocortisone | Proctofoam-HC | 1-1% rectal foam | Anorectal |
| Pravastatin | Pravachol | 10mg, 20mg, 40mg, 80mg tab | Lipid Lowering Agents |
| Praziquantel | Biltricide | 600mg tab | Anthelmintic |
| Prazosin | Minipress | 1mg, 2mg, 5mg cap | Antihypertensive- <i>α</i> -blocker |
| Prednisolone | Orapred | 15mg/5ml solution | Corticosteroid |
| Prednisolone | Pred Forte | 1% suspension (5ml), (10ml) | Ophthalmic, anti-inflammatory |
| Prednisolone | Pred Mild | 0.12% suspension (5ml) | Ophthalmic, anti-inflammatory |
| Prednisone | Deltasone | 1mg, 5mg, 10mg, 20mg tab | Corticosteroid |
| Pregabalin | Lyrica | 75mg, 100mg, 150mg cap | Anticonvulsant |
| Prenatal Vitamin | | Adult tab | Anticonvulsant |
| Primaquine | | 26.3mg tab | Vitamin / Mineral / Electrolyte |
| Primidone | Mysoline | 50mg tab | Antimalarial |
| Probencid | | 500mg tab | Anticonvulsant |
| Prochlorperazine | Compazine | 25mg rectal suppository | Anorectal |
| Prochlorperazine | Compazine | 5mg tab | Antiemetic / Antivertigo |
| Progesterone | Endometrin | 100mg vaginal insert | Progestin |
| Progesterone | Prometrium | 100mg cap | Progestin |
| Promethazine | Phenergan | 12.5mg, 25mg rectal suppository | Anorectal |
| Promethazine | Phenergan | 25mg tab; 6.25mg/5ml syrup | Antiemetic / Antivertigo |
| Proparacaine | Alcaine | 0.5% solution (15ml) | Ophthalmic, anesthetic |
| Propranolol | Inderal (LA) | 10mg, 40mg, 80mg tab; 60mg, 80mg, 120mg, 160 ER cap; 20mg/5ml oral solution | Antihypertensive - $β$ -blockers |
| Propylthiouracil | | 50mg tab | Thyroid |
| Pseudoephedrine | Sudafed | 30mg tab; 30mg/5ml syrup | Decongestant |
| Pseudoephedrine | Sudafed 12 Hour | 120mg tab | Decongestant |
| Psyllium | Metamucil | 660gm jar | Laxative, oral |
| Pyrazinamide | | 500mg tab | Antituberculosis |
| Pyridostigmine | Mestinon | 60mg tab | Acetylcholinesterase Inhibitor |
| Quetiapine | Seroquel | 25mg, 50mg, 100mg, 200mg, 300mg tab | Antipsychotic |
| Quetiapine | Seroquel XR | 50mg ER, 150mg ER, 200mg ER, 300mg ER, 400mg ER tab | Antipsychotic |
| Raloxifene | Evida | 60mg tab | Hormonal / Endocrine |
| Raltegravir | Isentress | 400mg tab | Antiviral |
| Ramipril | Altace | 1.25mg, 2.5mg, 5mg, 10mg cap | Antihypertensive - ARB |
| Regular | Novolin R | 100units/ml vial (10ml) | Diabetic agent - injection |
| Ribavirin | Rebetol | 200mg cap | Antiviral |
| Rifampin | | 150mg, 300mg cap | Antituberculosis |
| Rifapentine | Pritin | 150mg tab | Antituberculosis |
| Risperidone | Risperdal | 0.25mg, 0.5mg, 1mg, 2mg, 3mg tab; 1mg ODT tab; 1mg/ml solution | Antipsychotic |
| Rivaroxaban | Xarelto | 10mg, 15mg, 20mg tab | Anticoagulant / Antiplatelet |
| Rizatriptan | Maxalt/ Maxalt MLT | 5mg, 10mg tab | Antimigraine / Headache |
| Ropinirole | Requip | 0.25mg, 0.5mg, 1mg, 2mg tab | Anti-Parkinson |
| Rosuvastatin | Crestor | 5mg, 10mg, 20mg, 40mg tab | Lipid Lowering Agents |
| Salmeterol | Serevent Diskus | 50mcg oral inhaler | Asthma / COPD |
| Salsalate | Disalcid | 500mg tab | Non-Steroidal Anti-Inflammatory (NSAID) |
| Scopolamine | Transderm-Scop | 1.5mg transdermal patch | Anticholinergic |
| Selenium Sulfide | Selsun | 2.5% lotion (120ml) | Topical |
| Senna | Senokot | 8.6mg tab | Laxative, oral |
| Sertraline | Zoloft | 25mg, 50mg, 100mg tab; 20mg/ml suspension | Antidepressant |
| Sildenafil | Viagra | 50mg, 100mg tab; 10mg/ml suspension | Phosphodiesterase-5 Enzyme Inhibitor |
| Silver Sulfadiazine | Silvadene | 1% cream (20gm, 25gm) | Topical, antibiotic |
| Simethicone | Mylicon | 40mg/0.6ml drops (infants only) | Gastrointestinal |
| Simvastatin | Zocor | 5mg, 10mg, 20mg, 40mg tab | Lipid Lowering Agents |
| Sitagliptin | Januvia | 25mg, 50mg, 100mg tab | Diabetic agent - oral |
| Sitagliptin/Metformin | Janumet / Janumet XR | 50/500mg, 50/1000mg tab; 50/500mg 50/1000mg, 100/1000mg XR tab | Diabetic agent - oral |
| Sodium Bicarbonate | | 650mg tab | Vitamin / Mineral / Electrolyte |
| Sodium Chloride | | 0.9% neb soln | Asthma / COPD |

US Naval Hospital Okinawa Outpatient Formulary

| | | | |
|--|-------------------------------|---|--|
| 1. This formulary lists medications that are currently available at USNH Okinawa Camp Foster. However, changes may be made without prior notification. For updates on a specific medication, please contact the pharmacy at 646-WELL or from Off-Base 098-971-WELL. | | | |
| 2. Not all medications listed will be carried at the Branch Health Clinic Pharmacies. Please contact the clinic in advance to check on medication availability. | | | |
| 3. USNH Okinawa and Branch Health Clinics only stock FDA approved generic medications when available. | | | |
| 4. OTC Program: Eligible patients are entitled to three OTC medications per patient per month. Patients must not be less than two years of age, pregnant, or on flight status. Eligibility is limited to active duty, retirees, and dependents. Patients must be evaluated by Triage. | | | |
| 5. Prescriptions written for Schedule II medications must be filled within 60 days of the date written. Quantity is limited to a 30 day supply , except for cancer pain, ADHD, or narcolepsy medications which can be dispensed up to a 90-day supply . | | | |
| 6. Prescriptions written for Schedule III-V must be filled within 180 days . Quantity is limited to a 30-day supply and five refills or a 90-day supply with one refill. These prescriptions expire 6 months from the written date. | | | |
| 7. Prescriptions written for all non-scheduled medications must be filled within one year from the date written and unused refills after one year will be voided. Quantity is limited to a 90-day supply with three refills for all maintenance medications. | | | |
| 8. Contraceptives can be filled for a year supply at a time on hand stock permits. | | | |
| 9. Outpatient Hours of Operation: Monday - Friday: 0800 - 1900 Saturday: 0800-1700 Closed Sundays and all Federal Holidays | | | |
| 10. Inpatient Hours of Operation: 24 hours/7 days including holidays. Patients released from Emergency Room or Discharged from Hospital are considered inpatient and will receive care. | | | |
| Sodium Chloride | Sea Mist | 0.65% nasal spray | Nasal, allergy |
| Sodium Chloride | Muro-128 | 5% solution (15ml), 5% ointment (3.5gm) | Ophthalmic, lubricant |
| Sodium Chloride | | 1gm tab | Vitamin / Mineral / Electrolyte |
| Sodium Citrate / Citric Acid | Cytra-2 | 500-334mg/ml liquid (480ml) | Alkalizing Agent |
| Sodium Phosphate | Fleet Enema / Pedia-Lax Enema | 133ml, 66ml rectal enema | Anorectal, laxative |
| Sodium Phosphate | Mineral Oil Enema | 133ml rectal enema | Anorectal, laxative |
| Sodium Polyisobutylene | Kayexalate | 15mg/60ml oral suspension | Antidote |
| Sodium Sulfacetamide | Klaron | 10% lotion (120ml) | Topical, antibiotic |
| Sotalol | Betapace, Sotylose | 80mg tab; 5mg/ml solution | Antihypertensive - β -blockers |
| Spironolactone | Aldactone | 25mg, 100mg tab | Diuretic |
| Sterile Water for Injection | | 10ml vial for injection (For Clinic Administration Only) | Injection |
| Sucralfate | Carafate | 1gm tab; 1gm/10ml suspension | Gastrointestinal |
| Sulfamethoxazole/Trimethoprim | Bactrim DS/Septra | 400/80mg tab, 800/160mg tab; 200-40mg/5ml suspension | Antibiotic, oral |
| Sulfasalazine | Azulfidine | 500mg tab | Gastrointestinal |
| Sumatriptan | Imitrex | 25mg, 50mg, 100mg tab; 5mg nasal spray; 6mg/0.5ml SQ injector (2 pen kit) | Antimigraine / Headache |
| Tacrolimus | Prograf | 0.5mg, 1mg cap | Immunosuppressant |
| Tacrolimus | Protopic | 0.1% ointment (30gm, 60gm) | Topical, immunosuppressant |
| Tamoxifen | Soltamox | 10mg, 20mg tab | Antineoplastic |
| Tamsulosin | Flomax | 0.4mg cap | Gentourinary |
| Telmisartan | Micardis | 20mg, 40mg, 80mg tab | Antihypertensive - ARB |
| Telmisartan/Hydrochlorothiazide | Micardis HCT | 40/12.5mg, 80/12.5mg tab | Antihypertensive Combination |
| Temazepam | Restoril | 15mg, 30mg cap | Insomnia |
| Tenofrovir | Viread | 300mg tab | Antiviral |
| Terazosin | Hytrin | 1mg, 2mg, 5mg, 10mg cap | Antihypertensive- α -blocker |
| Terbutamine | Lamisil | 250mg tab | Antifungal, oral |
| Terbutaline | Brethine | 2.5mg, 5mg tab | Asthma / COPD |
| Terconazole | Terazole | 80mg vaginal suppository | Vaginal, antifungal |
| Testosterone | Fortesta | 2% gel (10mg) pump (Prior Authorization Form Required) | Androgen |
| Testosterone | Deko-Testosterone | 100mg/ml IM injection (10ml vial), 200mg/ml IM injection (1ml vial) | Androgen |
| Tetracaine | Altacaine, TetraVisc | 0.5% solution (15ml) | Ophthalmic, anesthetic |
| Tetracycline | | 500mg cap | Antibiotic, oral |
| Theophylline | Theo-Dur | 300mg ER tab | Asthma / COPD |
| Thyroid desiccated | Armour Thyroid | 30mg, 60mg tab | Thyroid |
| Timolol | Timoptic/Timoptic XE | 0.25%, 0.5% soln (5ml); 0.5% gel (5ml) | Ophthalmic, antiglaucoma |
| Tiopropium | Spiriva Handihaler | 18mcg cap inhaler | Asthma / COPD |
| Tiopropium | Spiriva Respirat | 1.25mcg, 2.5mcg oral inhaler | Asthma / COPD |
| Tizanidine | Zanaflex | 2mg, 4mg tab; 6mg cap | Musculoskeletal relaxant |
| Tobramycin | Tobrex | 0.3% ointment (3.5gm); 0.3% solution (5ml) | Ophthalmic, antibiotic |
| Tobramycin/Dexamethasone | Tobradex | 0.3%/0.1% (3.5gm) ointment; 0.3%/0.1% solution (10ml) | Ophthalmic, antibiotic/steroid |
| Tolnaftate | Tinactin | 1% powder (45gm) | Topical, antifungal |
| Tolterodine | Detrox LA | 2mg, 4mg cap | Gentourinary |
| Topiramate | Topamax | 15mg cap; 25mg, 50mg, 100mg, 200mg tab | Anticonvulsant |
| Tramadol | Ultram | 50mg tab | Narcotic Analgesic |
| Tranexamic Acid | Lysteda | 650mg tab | Hemostatic agent |
| Trazodone | Desyrel | 50mg tab | Antidepressant |
| Tretinoin | Retin-A | 0.025% cream (20gm, 45gm), 0.025% gel (45gm) | Topical, acne |
| Tretinoin | Retin-A | 0.05% cream (20gm, 45gm), 0.05% gel (45gm) | Topical, acne |
| Tretinoin | Retin-A | 0.1% cream (20gm, 45gm) | Topical, acne |
| Triamcinolone | Oralone | 0.1% dental paste | Dental |
| Triamcinolone | Kenalog | 10mg/ml (5ml), 40mg/ml (5ml) injection (For Clinic Administration Only) | Injection |
| Triamcinolone | Kenalog | 0.025% cream (15gm, 80gm, 454gm), 0.025% ointment (15gm, 80gm, 454gm) | Topical, steroid |
| Triamcinolone | Kenalog | 0.1% cream (15gm, 30gm, 80gm, 454gm), 0.1% ointment (15gm, 80gm, 454gm) | Topical, steroid |
| Triamcinolone | Kenalog | 0.147 mg/gm aerosol solution (63gm) | Topical, steroid |
| Triamterene | Dyrenium | 50mg cap | Diuretic |
| Triazolam | Halcion | 0.25mg tab | Insomnia |
| Trifluridine | Viroptic | 1% solution (7.5ml) | Ophthalmic, antiviral |
| Trihexyphenidyl | Artane | 2mg tab | Anti-Parkinson |
| Triple Antibiotic | | ointment (30gm) | Topical, antibiotic |
| Tropicamide | Mydriacyl | 1% solution (15ml) | Ophthalmic, mydriatic |
| Ulipristal acetate | Ella | 30mg tab | Contraceptive, emergency |
| Urea | | 10% lotion (180ml), 20% cream (90gm), 40% cream (85gm) | Topical, emollient |
| Ursodiol | Actigall | 300mg cap | Gallstone Dissolution Agent |
| Valacyclovir | Valtrex | 500mg, 1000mg tab | Antiviral |
| Valproic Acid | Dekapene | 250mg/5ml oral solution | Anticonvulsant |
| Valsartan | Diovan | 40mg, 80mg, 160mg, 320mg tab | Antihypertensive - ARB |
| Valsartan/Hydrochlorothiazide | Diovan HCT | 80/12.5mg, 160/12.5mg tab | Antihypertensive Combination |
| Vancomycin | Vancocin, Firvanq | 125mg cap; 50mg/ml suspension | Antibiotic, oral |
| Varenicline | Chantix | 1mg tab; Starter Pack | Tobacco Cessation Aid |
| Venlafaxine | Effexor | 25mg, 37.5mg, 75mg, 100mg tab; 37.5mg XR, 75mg XR, 150mg XR cap | Antidepressant |
| Verapamil | Calan/Verelan | 80mg, 120mg tab; 120mg, 180mg ER tab; 240 ER cap | Antihypertensive - Calcium Channel Blocker |
| Vitamin A & D | | ointment (113gm) | Topical |
| Vitamin B-1 | Thiamine | 100mg tab | Vitamin / Mineral / Electrolyte |
| Vitamin B-12 | Cyanocobalamin | 1,000mcg tab, 1mg/ml (1ml) injection | Vitamin / Mineral / Electrolyte |
| Vitamin B-6 | Pyridoxine | 50mg tab | Vitamin / Mineral / Electrolyte |
| Vitamin C | Ascorbic Acid | 500mg tab | Vitamin / Mineral / Electrolyte |
| Vitamin D | Ergocalciferol | 50,000 unit cap | Vitamin / Mineral / Electrolyte |
| Vitamin E | | 400 unit, 1,000 unit cap | Vitamin / Mineral / Electrolyte |
| Vitamin K | Phytomenone | 5mg tab | Vitamin / Mineral / Electrolyte |
| Warfarin | Coumadin | 1mg, 2mg, 2.5mg, 3mg, 5mg tab | Anticoagulant / Antiplatelet |
| Witch hazel | Tucks | 50% pads | Anorectal |
| Zinc Acetate | Galzin | 50mg cap | Vitamin / Mineral / Electrolyte |
| Zinc Oxide | Boudreaux's Butt Paste | 16% ointment (60gm); 40% ointment (60gm) | Topical |
| Zinc Oxide | | 20% ointment (454gm) | Topical |
| Zolmitriptan | Zomig/ Zomig ZMT | 2.5mg, 5mg tab | Antimigraine / Headache |
| Zolpidem | Ambien | 5mg, 10mg tab | Insomnia |
| Zolpidem ER | Ambien CR | 6.25mg, 12.5mg tab | Insomnia |
| NON-FORMULARY | | | |
| Amiodipine | Katerzia | 1mg/ml suspension (Medical Necessity Form Required) | Antihypertensive - Calcium Channel Blocker |
| Azelac Acid | Finacea, Azelex | 15% gel, 20% cream (Prior Authorization Form Required) | Topical, acne |
| Budesonide/Formoterol | Symbicort | 80-4.5mcg, 160-4.5mcg inhaler (Prior Authorization and Medical Necessity Forms Required) | Asthma / COPD |
| Esomeprazole | Nexium | 20mg, 40mg cap (Prior Authorization Form Required) | Antacid / GERD |
| Etanercept | Enbrel | 25mg/ml vial, 50mg/ml pen (Prior Authorization and Medical Necessity Forms Required) | Antirheumatic / TNF Blocking Agent |
| Evolcumab | Repatha | 140mg SQ pen (Prior Authorization Form Required) | Lipid Lowering Agents |
| Exenatide | Byetta | 5mcg, 10mcg pen (Prior Authorization and Medical Necessity Forms Required) | Diabetic agent - injection |
| Levalbuterol | Xopenex HFA | 45mcg oral inhaler (Medical Necessity Form Required) | Asthma / COPD |
| Liraglutide | Victoza | 18mg/3ml Pen (Prior Authorization and Medical Necessity Forms Required) | Diabetic agent - injection |
| Lisdexamfetamine | Vyvanse | 10mg, 20mg, 30mg, 50mg cap (Medical Necessity Form Required) | Attention Deficit Disorder (ADD) |

US Naval Hospital Okinawa Outpatient Formulary

1. This formulary lists medications that are currently available at USNH Okinawa Camp Foster. However, changes may be made without prior notification. For updates on a specific medication, please contact the pharmacy at 646-WELL or from Off-Base 098-971-WELL.
 2. Not all medications listed will be carried at the Branch Health Clinic Pharmacies. Please contact the clinic in advance to check on medication availability.
 3. USNH Okinawa and Branch Health Clinics only stock FDA approved generic medications when available.
 4. **OTC Program:** Eligible patients are entitled to three OTC medications per patient per month. Patients must not be less than two years of age, pregnant, or on flight status. Eligibility is limited to active duty, retirees, and dependents. Patients must be evaluated by Triage.
 5. Prescriptions written for Schedule II medications must be filled within **60 days** of the date written. Quantity is limited to a **30-day supply**, except for cancer pain, ADHD, or narcolepsy medications which can be dispensed up to a **90-day supply**.
 6. Prescriptions written for Schedule III-V must be filled within **180 days**. Quantity is limited to a **30-day supply** and five refills or a **90-day supply** with one refill. These prescriptions expire **6 months** from the written date.
 7. Prescriptions written for all non-scheduled medications must be filled within one year from the date written and unused refills after one year will be voided. Quantity is limited to a 90-day supply with three refills for all maintenance medications.
 8. Contraceptives can be filled for a year supply at a time if on hand stock permits.

| | | | |
|-----------------------------------|---|--|--|
| 9. Outpatient Hours of Operation: | Monday - Friday: 0800 - 1900 Saturday: 0800-1700 Closed Sundays and all Federal Holidays | | |
| 10. Inpatient Hours of Operation: | 24 hours/7 days including holidays. Patients released from Emergency Room or Discharged from Hospital are considered inpatient and will receive care. | | |

| | | | |
|----------------|---------------|---|--------------------------------------|
| Lubiprostone | Amitiza | 8mcg, 24mcg cap (Prior Authorization Form Required) | Gastrointestinal |
| Mefloquine | Lariam | 250mg tab (Prior Authorization Form Required) | Antimalarial |
| Mesalamine | Pentasa | 250mg ER cap (Medical Necessity Form Required) | Gastrointestinal |
| Naratriptan | Amerge | 2.5mg tab (Prior Authorization Form Required) | Antimigraine / Headache |
| Ramelteon | Rozerem | 8mg tab (Prior Authorization and Medical Necessity Forms Required) | Insomnia |
| Rifaximin | Xifaxan | 200mg tab (Prior Authorization Form Required) | Antibiotic, oral |
| Spiranolactone | CaroSpir | 25mg/5ml suspension (Prior Authorization and Medical Necessity Forms Required) | Diuretic |
| Tadalafil | Cialis | 5mg, 10mg, 20mg tab (Prior Authorization and Medical Necessity Forms Required) | Phosphodiesterase-5 Enzyme Inhibitor |
| Testosterone | Androderm | 2mg/24h, 4mg/24hr transdermal patches (Prior Authorization Form Required) | Androgen |
| Tretinoin | Retin-A Micro | 0.04% (20gm), 0.1% (20gm) gel (Prior Authorization and Medical Necessity Forms Required) | Topical, acne |

LEGEND

solution = soln
 tablet = tab
 capsule = cap
 syrup = syr
 suspension = susp
 elixir = elix
 lozenge = loz
 cream = cr
 ointment = oint
 inhaler = inh
 nebulizer = neb
 chewable = chew
 delayed-release = DR
 extended release = ER/XL
 sustained-release = SR
 actuation = act
 injection = inj
 shampoo = sha
 intramuscular=IM
 subcutaneous = SQ
 sublingual = SL
 topical = top
 rectal = rect
 suppository = supp
 vaginal = vag
 enteric-coated = EC